

Historic, Archive Document

Do not assume content reflects current scientific knowledge, policies, or practices.

December 12, 1947

Percentage of rough preparation..... 3.2

Grade and staple length of upland cotton ginned in the
United States, prior to November 1, 1947 1/ (Continued)

Grade	1-1/8"	1-5/32"	1-3/16"	1-7/32"	1-1/4" and longer	Total 1-1/8" and longer
	Bales	Bales	Bales	Bales	Bales	Bales
Extra White:						
G.M.	15,385	675	141	230	100	16,531
S.M.	43,766	2,542	532	765	223	47,828
M.	5,664	734	135	211	50	6,794
S.L.M.	119	17	11	-	-	147
L.M.	4	1	-	-	-	5
S.G.O.	-	-	-	-	-	-
G.O.	-	-	-	-	-	-
White:						
G.M. & higher	878	173	50	40	90	1,231
S.M.	10,316	1,800	900	380	470	13,866
M.	18,322	2,991	1,700	430	870	24,313
S.L.M.	5,583	792	360	140	120	6,995
L.M.	370	90	50	-	10	520
S.G.O.	-	-	-	-	10	10
G.O.	-	-	-	-	-	-
Spotted:						
G.M.	505	70	60	30	-	665
S.M.	895	351	60	10	20	1,336
M.	400	170	40	-	14	624
S.L.M.	130	10	-	-	-	140
L.M.	20	-	-	-	-	20
Tinged 2/	10	-	-	-	-	10
Stained 2/	-	-	-	-	-	-
Gray 2/	51	-	1	-	-	52
Below Grade	-	-	-	-	-	-
All Grades	102,418	10,416	4,040	2,236	1,977	121,087

1/ Preliminary.

2/ Includes all grades.

This is the first of two preliminary reports showing a cross-classification of ginnings by grades and staple lengths for the United States. Another report will be released as of March 20.

